

| | U | 1 | Document ID | Issue Date | Pages |
|---|---|---|-------------------------|------------|-------|
| 1 | X | | US 20030222855 A1 | 20031204 | 6 |
| 2 | | | US 20030096693 A1 | 20030522 | 10 |
| 3 | | | US 20020047108 A1 | 20020425 | 15 |
| 4 | | | US 20020037797 A1 | 20020328 | 10 |
| 5 | | | US 20010021110 A1 | 20010913 | 11 |
| 6 | X | | US 6807823 B2 | 20041026 | 9 |
| 7 | | | JP 2001322198 A | 20011120 | 7 |
| 8 | | | JP 09052964 A | 19970225 | 3 |

| | Title | Current OR | Current XRef |
|---|--|-------------------|-------------------------------|
| 1 | Touch control panel | 345/173 | |
| 2 | Fluorine-containing glass | 501/54 | 501/57 |
| 3 | Transparent conductive layer forming coating liquid | 252/500 | 252/511; 252/512 |
| 4 | Fluorine-containing glass | 501/54 | |
| 5 | Reflector, method for the production of reflector, and internal-lighting display device | 362/247 | 362/297; 362/341 |
| 6 | Fluorine-containing glass | 65/30.1 | 501/54; 65/111; 65/32.1 |
| 7 | Conveyance member for precision equipment material e.g. silicone wafer, comprises ultra-violet rays-resistant covering material layer formed on surface of fiber-reinforced composite material by spraying process | | |
| 8 | Polyethersulphone film or sheet with good resistance to UV - contains inorganic UV absorbing agent, used in transparent electrode of LCD or film for optical recording disk | | |

| | Retrieval Classif | Inventor | S | C | P | 2 | 3 | 4 | 5 |
|---|----------------------|-------------------------|---|---|---|---|---|---|---|
| 1 | | Sung, Guang-Tau | | | | | | | |
| 2 | | Ohga, Yuichi et al. | X | | | | | | |
| 3 | | Yukinobu, Masaya et al. | X | | | | | | |
| 4 | | Ohga, Yuichi et al. | X | | | | | | |
| 5 | | Nakayama, Naoki et al. | X | | | | | | |
| 6 | | Ohga; Yuichi et al. | | | | | | | |
| 7 | | | X | | | | | | |
| 8 | | | X | | | | | | |

| | Image Doc. Displayed | PT |
|---|-------------------------|----|
| 1 | US 20030222855 | |
| 2 | US 20030096693 | |
| 3 | US 20020047108 | |
| 4 | US 20020037797 | |
| 5 | US 20010021110 | |
| 6 | US 6807823 | |
| 7 | JP 2001322198 A | |
| 8 | JP 09052964 A | |

| | U | 1 | Document ID | Issue Date | Pages |
|---|---|---|---------------|------------|-------|
| 9 | | | JP 56033611 A | 19810404 | 3 |

| | Title | Current OR | Current XRef |
|---|--|-------------------|---------------------|
| 9 | polarising plate for liq. crystal display device - with polarising film of stretched high polymer contg. pleochroic dye coated with protective coating and crosslinking adhesive | | |

| | Retrieval Classif | Inventor | S | C | P | 2 | 3 | 4 | 5 |
|---|----------------------|----------|---|---|---|---|---|---|---|
| 9 | | | X | | | | | | |

| | Image Doc. Displayed | PT |
|---|-------------------------|----|
| 9 | JP 56033611 A | |